

Product Data Sheet

4-Nitrophenyl phosphate disodium hexahydrate

Cat. No.: HY-116022A

CAS No.: 333338-18-4

Molecular Formula: C₆H₁₆NNa₂O₁₂P

Molecular Weight: 371.14

Target: Biochemical Assay Reagents

Pathway: Others

Storage: -20°C, sealed storage, away from moisture

* In solvent: -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture)

SOLVENT & SOLUBILITY

In Vitro H₂O: 100 mg/mL (269.44 mM; Need ultrasonic)

DMSO: 10 mg/mL (26.94 mM; ultrasonic and warming and heat to 80°C)

Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg
	1 mM	2.6944 mL	13.4720 mL	26.9440 mL
	5 mM	0.5389 mL	2.6944 mL	5.3888 mL
	10 mM	0.2694 mL	1.3472 mL	2.6944 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

4-Nitrophenyl phosphate (p-nitrophenyl phosphate) disodium hexahydrate is widely used as a small molecule phosphotyrosine-like substrate in activity assays for protein tyrosine phosphatases. 4-Nitrophenyl phosphate disodium hexahydrate is a colorless substrate that upon hydrolysis is converted to a yellow 4-nitrophenolate ion that can be monitored by absorbance at 405 nm^[1].

In Vitro 4-Nitrophenyl phosphate (PNPP) disodium hexahydrate is a commonly used substrate for alkaline phosphatases (ALPs). 4-Nitrophenyl phosphate disodium hexahydrate is hydrolyzed by ALP to PNP (p-nitrophenol), which quenches the

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

fluorescence of novel gold nanoclusters (AuNCs) by the inner filter effect (IFE)[2].

CUSTOMER VALIDATION

• Int J Mol Sci. 2022 Feb 26;23(5):2604.

See more customer validations on <u>www.MedChemExpress.com</u>				
REFERENCES				

[1]. Lountos GT, et al. Structural analysis of human dual-specificity phosphatase 22 complexed with a phosphotyrosine-like substrate. Acta Crystallogr F Struct Biol Commun. 2015;71(Pt 2):199-205.

[2]. Qi S, et al. Development of a facile and sensitive method for detecting alkaline phosphatase activity in serum with fluorescent gold nanoclusters based on the inner filter effect. Analyst. 2020;145(11):3871-3877.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA