**Proteins** 



## 3,3'-Difluorobenzaldazine

Cat. No.: HY-14611 CAS No.: 15332-10-2 Molecular Formula:  $C_{14}H_{10}F_2N_2$ Molecular Weight: 244.24

Target: mGluR

Pathway: GPCR/G Protein; Neuronal Signaling

Please store the product under the recommended conditions in the Certificate of Storage:

Analysis.

## **BIOLOGICAL ACTIVITY**

Description 3,3'-Difluorobenzaldazine (DFB) is a selective positive allosteric modulator of mGluR5. 3,3'-Difluorobenzaldazine potentiates 3- to 6-fold action for mGlu5 agonists (Glutamate, Quisqualate, and 3,5-Dihydroxyphenylglycine), with EC<sub>50</sub>s in the 2 to 5 μM range<sup>[1]</sup>.

In Vitro

3,3'-Difluorobenzaldazine (DFB) causes a concentration-dependent potentiation of the response of human mGluR5 CHO cells to 300 nM glutamate in this assay. The maximal potentiation at this concentration of glutamate is approximately 3.1fold, with an EC $_{50}$  for potentiation of 2.6  $\mu$ M. 3,3'-Difluorobenzaldazine causes similar potentiation of the responses of both human mGluR5 and rat mGluR5 CHO cells to glutamate, quisqualate, and DHPG with comparable potencies<sup>[1]</sup>. MCE has not independently confirmed the accuracy of these methods. They are for reference only.

In Vivo

3,3'-Difluorobenzaldazine (40-100 nmol; icv) attenuates the locomotor hyperactivity, motor incoordination, and cognitive impairment induced by Ketamine<sup>[2]</sup>.

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

Animal Model:	Male NMRI and ICR mice (8-9 weeks, 33-40 g) <sup>[2]</sup>
Dosage:	40-100 nmol (~9.7-24.4 μg)
Administration:	ICV
Result:	Attenuated the locomotor hyperactivity, motor incoordination, and cognitive impairment induced by Ketamine.

## **REFERENCES**

[1]. O'Brien JA, et al, Chen TB, et al. A family of highly selective allosteric modulators of the metabotropic glutamate receptor subtype 5. Mol Pharmacol. 2003;64(3):731-740.

[2]. O'Brien JA, et al. A family of highly selective allosteric modulators of the metabotropic glutamate receptor subtype 5. Mol Pharmacol. 2003;64(3):731-740.

 $\label{lem:caution:Product} \textbf{Caution: Product has not been fully validated for medical applications. For research use only.}$ 

Tel: 609-228-6898 Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Page 2 of 2 www.MedChemExpress.com