## Azide-C2-SS-C2-biotin

Cat. No.:	HY-140127		
CAS No.:	1620523-64-9		
Molecular Formula:	C <sub>14</sub> H <sub>24</sub> N <sub>6</sub> O <sub>2</sub> S <sub>3</sub>		
Molecular Weight:	404.57		
Target:	ADC Linker		
Pathway:	Antibody-drug Conjugate/ADC Related		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month

## **BIOLOGICAL ACTIVITY**

Description	Azide-C2-SS-C2-biotin is a cleavable ADC linker used in the synthesis of antibody-drug conjugates (ADCs) <sup>[1]</sup> . Azide-C2-SS-C2- biotin is a click chemistry reagent, it contains an Azide group and can undergo copper-catalyzed azide-alkyne cycloaddition reaction (CuAAc) with molecules containing Alkyne groups. Strain-promoted alkyne-azide cycloaddition (SPAAC) can also occur with molecules containing DBCO or BCN groups.	
IC <sub>50</sub> & Target	Disulfide Cleavable Linker Cleavable Linker	
In Vitro	ADCs are comprised of an antibody to which is attached an ADC cytotoxin through an ADC linker <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.	

## REFERENCES

[1]. Beck A, et al. Strategies and challenges for the next generation of antibody-drug conjugates. Nat Rev Drug Discov. 2017 May;16(5):315-337.

Caution: Product has not been fully validated for medical applications. For research use only.

**Product** Data Sheet

°⊥\_N^

~<sup>S</sup>~s<sup>~</sup><sup>N</sup><sup>\*</sup>N<sup>\*</sup><sub>N</sub>

Page 1 of 1

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

