## Product Data Sheet



## Azide-PEG9-amido-C8-Boc

Cat. No.:	HY-140789		
Molecular Formula:	$C_{_{34}}H_{_{66}}N_{_{4}}O_{_{12}}$		
Molecular Weight:	722.91		
Target:	PROTAC Linkers	<sup>N</sup> WN~a~o~a~o~a~o~a~p <sup>2</sup> ~~~~pa~	
Pathway:	PROTAC		
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.		

BIOLOGICAL ACTIVITY			
Description	Azide-PEG9-amido-C8-Boc is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs <sup>[1]</sup> . Azide-PEG9- amido-C8-Boc is a click chemistry reagent, it contains an Azide group and can undergo copper-catalyzed azide-alkyne cycloaddition reaction (CuAAc) with molecules containing Alkyne groups. Strain-promoted alkyne-azide cycloaddition (SPAAC) can also occur with molecules containing DBCO or BCN groups.		
IC <sub>50</sub> & Target	PEGs	Alkyl/ether	
In Vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.		

## REFERENCES

[1]. An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909

909 E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA