Azido-PEG2-C6-Cl

Cat. No.: HY-138470

CAS No.: 2568146-55-2

Molecular Formula: $C_{10}H_{20}ClN_3O_2$

Molecular Weight: 249.74

Target: PROTAC Linkers

Pathway: PROTAC

Storage:

Pure form	-20°C	3 years
	4°C	2 years
In solvent	-80°C	6 months
	-20°C	1 month



SOLVENT & SOLUBILITY

In Vitro

DMSO : 250 mg/mL (1001.04 mM; Need ultrasonic)

Preparing Stock Solutions	Solvent / Mass / Concentration	1 mg	5 mg	10 mg
	1 mM	4.0042 mL	20.0208 mL	40.0416 mL
	5 mM	0.8008 mL	4.0042 mL	8.0083 mL
	10 mM	0.4004 mL	2.0021 mL	4.0042 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

Azido-PEG2-C6-Cl is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs[1]. Azido-PEG2-C6-Cl is a click chemistry reagent, it contains an Azide group and can undergo copper-catalyzed azide-alkyne cycloaddition reaction (CuAAc) with molecules containing Alkyne groups. Strain-promoted alkyne-azide cycloaddition (SPAAC) can also occur with molecules containing DBCO or BCN groups.

IC_{50} & Target

PEGs

In Vitro

PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins[1].

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com
Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA