Azido-PEG6-MS

Cat. No.:	HY-138363		
CAS No.:	352439-38-4		
Molecular Formula:	C ₁₃ H ₂₇ N ₃ O ₈ S		
Molecular Weight:	385.43		
Target:	PROTAC Linkers		
Pathway:	PROTAC		
Storage:	Pure form	-20°C	3 years
	In solvent	-80°C	6 months
		-20°C	1 month

SOLVENT & SOLUBILITY

DMSO : ≥ 100 mg/mL (259.45 mM) In Vitro * "≥" means soluble, but saturation unknown. Mass Solvent 1 mg 5 mg Concentration Preparing 1 mM 2.5945 mL 12.9725 mL **Stock Solutions** 5 mM 0.5189 mL 2.5945 mL 10 mM 0.2595 mL 1.2973 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIV	
Description	Azido-PEG6-MS is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs ^[1] . Azido-PEG6-MS is a click chemistry reagent, it contains an Azide group and can undergo copper-catalyzed azide-alkyne cycloaddition reaction (CuAAc) with molecules containing Alkyne groups. Strain-promoted alkyne-azide cycloaddition (SPAAC) can also occur with molecules containing DBCO or BCN groups.
IC ₅₀ & Target	PEGs
In Vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES



0_____N⁵N⁺

10 mg

25.9450 mL

5.1890 mL

2.5945 mL



[1]. An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA