Proteins

BMV109


Cat. No.: HY-149931 CAS No.: 1458731-58-2 Molecular Formula: $C_{107}H_{108}F_4N_{10}O_{23}S_5$

Molecular Weight: 2138.37

Target: Fluorescent Dye

Pathway: Others

Storage: Please store the product under the recommended conditions in the Certificate of



Product Data Sheet

BIOLOGICAL ACTIVITY

BIOLOGICAL ACTIVITY		
Description	BMV109 is a quenched probe that becomes fluorescent when cleaved and covalently bound by active cathepsin proteases. BMV109 can be exploited for tumor imaging $^{[1][2]}$.	
In Vitro	BMV109 (compound 8; $0.05 \mu\text{M}$, $0.1 \mu\text{M}$, $0.5 \mu\text{M}$, $1 \mu\text{M}$, $5 \mu\text{M}$) labels all target cysteine cathepsins (B, S, L, X) with equal intensity in living RAW cells ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.	
In Vivo	BMV109 (compound 8; 20 nmol; i.v.) achieves tumor-specific fluorescence signal in a mouse model of breast cancer ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.	
	Animal Model:	Balb/c mice bearing 4T1 cells ^[1]
	Dosage:	20 nmol
	Administration:	Tail vein
	Result:	Robust tumor specific activation of fluorescence with high overall intensity could be observed.

REFERENCES

[1]. Martijn Verdoes, et al. Improved quenched fluorescent probe for imaging of cysteine cathepsin activity. J Am Chem Soc. 2013 Oct 2;135(39):14726-30.

[2]. Steven Sensarn, et al. A Clinical Wide-Field Fluorescence Endoscopic Device for Molecular Imaging Demonstrating Cathepsin Protease Activity in Colon Cancer. Mol Imaging Biol. 2016 Dec;18(6):820-829.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA