

Product Data Sheet

Dextran sulfate sodium salt (MW5000)

| Cat. No.: | HY-116282 | |
|-----------|---|-----------------------------|
| CAS No.: | 9011-18-1 | |
| Target: | HIV; Apoptosis | |
| Pathway: | Anti-infection; Apoptosis | Dextran sulfate sodium salt |
| Storage: | 4°C, sealed storage, away from moisture * In solvent : -80°C, 6 months; -20°C, 1 month (sealed storage, away from moisture) | |

•

Proteins

Inhibitors

•

| SOLVENT & SOLUB | ILITY |
|-----------------|--|
| In Vitro | H ₂ O : 100 mg/mL (Need ultrasonic) |

| BIOLOGICAL ACTIVITY | | |
|---------------------|---|--|
| BIOLOGICAL ACTIVITY | | |
| Description | Dextran sulfate sodium salt (MW5000) is a polymer of anhydroglucose with the molecular weight of 5000. Dextran sulfate sodium salt can be used to induce colitis. Dextran sulfate sodium salt also can inhibit the replication of the human immunodeficiency virus (HIV) by preventing the adsorption of the virus into host cells ^{[1][2][3]} . | |
| In Vitro | Dextran sulfate (25 μg/mL) sodium salt completely protects MT-4 cells against HIV-1-induced cytopathogenicity ^[2] . MCE has not independently confirmed the accuracy of these methods. They are for reference only. | |
| In Vivo | Dextran sulfate sodium salt (MW5000) can be used in animal modeling to construct colitis models. | |
| | Dextran sulfate sodium salt (3%; in drinking water for 7 days) induces colitis in mice ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only. | |

REFERENCES

[1]. Regmi S, et, al. Enhanced viability and function of mesenchymal stromal cell spheroids is mediated via autophagy induction. Autophagy. 2021 Oct;17(10):2991-3010.

[2]. Baba M, et al. Mechanism of inhibitory effect of dextran sulfate and heparin on replication of human immunodeficiency virus in vitro. Proc Natl Acad Sci U S A. 1988 Aug;85(16):6132-6.

[3]. Araki Y, et, al. Dextran sulfate sodium administered orally is depolymerized in the stomach and induces cell cycle arrest plus apoptosis in the colon in early mouse colitis. Oncol Rep. 2012 Nov;28(5):1597-605.

Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA