Product Data Sheet

Difamilast

Cat. No.: HY-109085 CAS No.: 937782-05-3 Molecular Formula: $C_{23}H_{24}F_2N_2O_5$ Molecular Weight: 446.44

Target:Phosphodiesterase (PDE)Pathway:Metabolic Enzyme/Protease

Storage: Powder -20°C

4°C 2 years

3 years

In solvent -80°C 2 years

-20°C 1 year

F O F	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	N O	• <u></u>
		N \	

SOLVENT & SOLUBILITY

In Vitro

DMSO: 100 mg/mL (223.99 mM; Need ultrasonic)

Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg
	1 mM	2.2399 mL	11.1997 mL	22.3994 mL
	5 mM	0.4480 mL	2.2399 mL	4.4799 mL
	10 mM	0.2240 mL	1.1200 mL	2.2399 mL

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- 1. Add each solvent one by one: 10% DMSO >> 90% (20% SBE- β -CD in saline) Solubility: 2.5 mg/mL (5.60 mM); Suspended solution; Need ultrasonic
- 2. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (5.60 mM); Clear solution

BIOLOGICAL ACTIVITY

Description	Difamilast (OPA-15406) is a topical, selective and nonsteroidal phosphodiesterase-4 (PDE4) inhibitor with particularly efficient inhibition of subtype B (IC_{50} =11.2 nM). Difamilast can be used for the research of mild to moderate atopic dermatitis (AD) ^{[1][2][3]} .
IC ₅₀ & Target	PDE4B 11.2 nM (IC ₅₀)
In Vitro	OPA-15406 is highly selective for inhibition of PDE4 subtype B (IC ₅₀ =11.2 nM), and OPA-15406 also exerts inhibitory effects on PDE2 ^[2] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

In Vivo

OPA-1540 improves skin condition in relevant animal models of ${\sf AD}^{[1]}$.

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

CUSTOMER VALIDATION

• J Dermatol Sci. 2023 Apr 28.

See more customer validations on www.MedChemExpress.com

REFERENCES

[1]. Hanifin JM, et, al. OPA-15406, a novel, topical, nonsteroidal, selective phosphodiesterase-4 (PDE4) inhibitor, in the treatment of adult and adolescent patients with mild to moderate atopic dermatitis (AD): A phase-II randomized, double-blind, placebo-con

[2]. Ahluwalia J, et, al. Phosphodiesterase 4 Inhibitor Therapies for Atopic Dermatitis: Progress and Outlook. Drugs. 2017 Sep;77(13):1389-1397.

[3]. Soeberdt M, et, al. Small molecule drugs for the treatment of pruritus in patients with atopic dermatitis. Eur J Pharmacol. 2020 Aug 15;881:173242.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA