

Egaptivon pegol

Cat. No.:	HY-147079
CAS No.:	934868-74-3
Molecular Weight:	53926.29
Sequence:	Poly(oxy-1,2-ethanediyl), α -hydro- ω -methoxy-, 5'-ester with RNA (Gm-Cm-Gm-Um-dG-dC-dA-Gm-Um-Gm-Cm-Cm-Um-Um-Cm-Gm-Gm-Cm-dC-Gm-sp-dT-Gm-dC-dG-dG-dT-Gm-Cm-dC-Um-dC-dC-Gm-Um-dC-Am-Cm-Gm-Cm-(3' \rightarrow 3')-dT) 5'-[6-(carboxyamino)hexyl hydrogen phosphate]
Target:	Integrin
Pathway:	Cytoskeleton
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.

Egaptivon pegol

SOLVENT & SOLUBILITY

In Vitro

H₂O : 100 mg/mL (1.85 mM; Need ultrasonic)

Concentration	Mass		
	1 mg	5 mg	10 mg
1 mM	0.0185 mL	0.0927 mL	0.1854 mL
5 mM	---	---	---
10 mM	---	---	---

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

Egaptivon pegol (ARC1779) is an aptamer, which blocks binding of the von Willebrand Factor (VWF) to platelet GPIb receptors. Egaptivon pegol has anti-thrombotic efficacy.

REFERENCES

- [1]. Avdonin PP, Trufanov SK, Rybakova EY, Tsitrina AA, Goncharov NV, Avdonin PV. The Use of Fluorescently Labeled ARC1779 Aptamer for Assessing the Effect of H₂O₂ on von Willebrand Factor Exocytosis. *Biochemistry (Mosc)*. 2021;86(2):123-131.
- [2]. Jilma-Stohlawetz P, Gorczyca ME, Jilma B, Siller-Matula J, Gilbert JC, Knöbl P. Inhibition of von Willebrand factor by ARC1779 in patients with acute thrombotic thrombocytopenic purpura. *Thromb Haemost*. 2011;105(3):545-552.
- [3]. Spiel AO, Mayr FB, Ladani N, et al. The aptamer ARC1779 is a potent and specific inhibitor of von Willebrand Factor mediated ex vivo platelet function in acute myocardial infarction. *Platelets*. 2009;20(5):334-340.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA