

Product Data Sheet

Inhibitors

Screening Libraries

PEG4-bis(phosphonic acid diethyl ester)

Molecular Weight: 466.4

Target: PROTAC Linkers

Pathway: PROTAC

Storage: Please store the product under the recommended conditions in the Certificate of

Analysis.

0, P 0 0 0 0 P 0 0 0 P 0

BIOLOGICAL ACTIVITY

| Description | PEG4-bis(phosphonic acid diethyl ester) is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs ^[1] . |
|---------------------------|--|
| IC ₅₀ & Target | PEGs |
| In Vitro | PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only. |

REFERENCES

[1]. An S, et al. Small-molecule PROTACs: An emerging and promising approach for the development of targeted therapy drugs. EBioMedicine. 2018 Oct;36:553-562

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA