S-acetyl-PEG4-amine TFA

Cat. No.: Molecular Formula: Molecular Weight: Target: Pathway: Storage:	HY-138752A C ₁₄ H ₂₆ F ₃ NO ₇ S 409.42 PROTAC Linkers PROTAC Please store the product under the recommended conditions in the Certificate of Analysis.	$\int_{F_{F_{F}}}^{O} S \sim O \sim O \sim O \sim O \sim NH_{2}$
---	--	--

BIOLOGICAL ACTIVITY		
DIOLOGICAL ACTIVITY		
Description	S-acetyl-PEG4-amine (TFA) is a PEG-based PROTAC linker that can be used in the synthesis of PROTACs ^[1] .	
In Vitro	PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.	

REFERENCES

[1]. Nalawansha DA, et al. PROTACs: An Emerging Therapeutic Modality in Precision Medicine. Cell Chem Biol. 2020;27(8):998-1011.

Caution: Product has not been fully validated for medical applications. For research use only.

 Tel: 609-228-6898
 Fax: 609-228-5909
 E-mail: tech@MedChemExpress.com

 Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA



Product Data Sheet