


Suberylglycine-d₄

Cat. No.:	HY-113367S		
CAS No.:	2469259-73-0		
Molecular Formula:	C ₁₀ H ₁₃ D ₄ NO ₅		
Molecular Weight:	235.27		
Target:	Endogenous Metabolite		
Pathway:	Metabolic Enzyme/Protease		
Storage:	Powder	-20°C	3 years
		4°C	2 years
	In solvent	-80°C	6 months
		-20°C	1 month



BIOLOGICAL ACTIVITY

Description	Suberylglycine-d ₄ is the deuterium labeled Suberylglycine. Suberylglycine is an acyl glycine, which is a normally minor metabolite of fatty acid[1][2].
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

- [1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. *Ann Pharmacother.* 2019;53(2):211-216.
- [2]. Gregersen N, et al. Suberylglycine excretion in the urine from a patient with dicarboxylic aciduria. *Clin Chim Acta.* 1976 Aug 2;70(3):417-25.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA