


## m-PEG7-Ms

Cat. No.:	HY-130528
CAS No.:	477775-57-8
Molecular Formula:	C <sub>16</sub> H <sub>34</sub> O <sub>10</sub> S
Molecular Weight:	418.5
Target:	ADC Linker; PROTAC Linkers
Pathway:	Antibody-drug Conjugate/ADC Related; PROTAC
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



### BIOLOGICAL ACTIVITY

Description	m-PEG7-Ms is a PEG-based PROTAC linker can be used in the synthesis of PROTACs. m-PEG7-Ms is a cleavable ADC linker used in the synthesis of antibody-drug conjugates (ADCs) <sup>[1]</sup> .	
IC <sub>50</sub> & Target	Cleavable	PEGs
In Vitro	<p>PROTACs contain two different ligands connected by a linker; one is a ligand for an E3 ubiquitin ligase and the other is for the target protein. PROTACs exploit the intracellular ubiquitin-proteasome system to selectively degrade target proteins. ADCs are comprised of an antibody to which is attached an ADC cytotoxin through an ADC linker.</p> <p>MCE has not independently confirmed the accuracy of these methods. They are for reference only.</p>	

### REFERENCES

[1]. Sanxing Sun, et al. Triazolotriazine derivatives as a2a receptor antagonists. WO2020002969A1.

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA