Mal-PEG-OH (MW 2000)

Cat. No.: CAS No.: Molecular Formula: Target: Pathway: Storage:	HY-155902A 88504-24-9 (C ₂ H ₄ O)nC ₉ H ₁₂ N ₂ O ₄ Biochemical Assay Reagents Others Please store the product under the recommended conditions in the Certificate of Analysis.	\mathcal{A}_{0}^{N} $\mathcal{A}_{0}^{$
--	--	---

BIOLOGICAL ACTIVITY		
Description	Mal-PEG-OH (MW 2000) can be used as a macroinitiator to obtain amphiphilic diblock copolymers by ring-opening polymerization of LA. Nanoparticles prepared using amphiphilic block copolymers can form active drug delivery systems. Nanoparticles encapsulate Triptolide (HY-32735), which can avoid the disadvantage of Triptolide's poor water solubility and reduce its toxicity.	

REFERENCES

[1]. Chen XY, et al. The potential of follicle-stimulating hormone peptide-modified triptolide-loaded nanoparticles to induce a mouse model of premature ovarian insufficiency. Int J Nanomedicine. 2015 Apr 7;10:2765-74.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Product Data Sheet

