


Calcitriol Derivatives

Cat. No.:	HY-76802
CAS No.:	2070009-24-2
Molecular Formula:	C ₃₀ H ₄₇ NO ₃
Molecular Weight:	469.7
Target:	VD/VDR
Pathway:	Vitamin D Related/Nuclear Receptor
Storage:	-20°C, protect from light, stored under nitrogen * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light, stored under nitrogen)



BIOLOGICAL ACTIVITY

Description

Calcitriol Derivatives is a vitamin D3 analog. v

REFERENCES

- [1]. Barrera D, Noyola-Martínez N, Avila E, Halhali A, Larrea F, Díaz L. Calcitriol inhibits interleukin-10 expression in cultured human trophoblasts under normal and inflammatory conditions. *Cytokine*. 2012 Mar;57(3):316-21.
- [2]. Lydia A, Asanuma K, Nonaka K, Takagi M, Jeong KH, Kodama F, Asao R, Asanuma E, Prodjosudjadi W, Tomino Y. Effects of 22-oxa-calcitriol on podocyte injury in adriamycin-induced nephrosis. *Am J Nephrol*. 2012;35(1):58-68.
- [3]. Michalak K, Wicha J. Total synthesis of a CD-ring: side-chain building block for preparing 17-epi-calcitriol derivatives from the Hajos-Parrish dione. *J Org Chem*. 2011 Aug 19;76(16):6906-11.
- [4]. Moorthi RN, Kandula P, Moe SM. Optimal vitamin D, calcitriol, and vitamin D analog replacement in chronic kidney disease: to D or not to D: that is the question. *Curr Opin Nephrol Hypertens*. 2011 Jul;20(4):354-9.
- [5]. Yu WD, Ma Y, Flynn G, Muindi JR, Kong RX, Trump DL, Johnson CS. Calcitriol enhances gemcitabine anti-tumor activity in vitro and in vivo by promoting apoptosis in a human pancreatic carcinoma model system. *Cell Cycle*. 2010 Aug 1;9(15):3022-9.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA