# Inhibitors

# Ethosuximide-d<sub>3</sub>

Cat. No.: HY-B1378S

CAS No.: 1189703-33-0 Molecular Formula:  $C_7H_8D_3NO_2$ Molecular Weight: 144.19

Calcium Channel; Isotope-Labeled Compounds Target:


Pathway: Membrane Transporter/Ion Channel; Neuronal Signaling; Others

Storage: Powder -20°C 3 years

In solvent

4°C 2 years -80°C 6 months

-20°C 1 month



**Product** Data Sheet

## **BIOLOGICAL ACTIVITY**

Description	Ethosuximide- $d_3$ is the deuterium labeled Ethosuximide. Ethosuximide, a widely prescribed anti-epileptic agent, improves the phenotypes of multiple neurodegenerative disease models and blocks the low voltage activated T-type calcium channel[1][2].
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs <sup>[1]</sup> .  MCE has not independently confirmed the accuracy of these methods. They are for reference only.

## **REFERENCES**

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019;53(2):211-216.

[2]. Chen X, et al. Ethosuximide ameliorates neurodegenerative disease phenotypes by modulating DAF-16/FOXO target gene expression. Mol Neurodegener. 2015 Sep. 29;10:51.

[3]. Sondossi K, et al. Analysis of the antiepileptic, ethosuximide impacts on neurogenesis of rat forebrain stem cells. Fundam Clin Pharmacol. 2014 Oct;28(5):512-8.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA