


## Iprodione-d5

Cat. No.:	HY-B1978S
CAS No.:	1215631-57-4
Molecular Formula:	C <sub>13</sub> H <sub>8</sub> D <sub>5</sub> Cl <sub>2</sub> N <sub>3</sub> O <sub>3</sub>
Molecular Weight:	335.2
Target:	Fungal; Reactive Oxygen Species
Pathway:	Anti-infection; Immunology/Inflammation; Metabolic Enzyme/Protease; NF-κB
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.



### BIOLOGICAL ACTIVITY

<b>Description</b>	Iprodione-d <sub>5</sub> is the deuterium labeled Iprodione[1]. Iprodione, a dicarboximide fungicide, has a highly specific action, with a capacity to cause oxidative damage through production of free oxygen radicals (ROS). Iprodione does not appear to be species selective[2].
<b>In Vitro</b>	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs <sup>[1]</sup> . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

### REFERENCES

- [1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. *Ann Pharmacother*. 2019 Feb;53(2):211-216.
- [2]. Radice S, et al. Effect of iprodione, a dicarboximide fungicide, on primary cultured rainbow trout (*Oncorhynchus mykiss*) hepatocytes. *Aquat Toxicol*. 2001;54(1-2):51-58.

**Caution: Product has not been fully validated for medical applications. For research use only.**

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA