## Methyl indole-3-carboxylate

Cat. No.:HY-79635CAS No.:942-24-5Molecular Formula: $C_{10}H_9NO_2$ Molecular Weight:175.18Target:BacterialPathway:Anti-infection

Storage: Powder -20°C

-20°C 3 years 4°C 2 years

In solvent -80°C 6 months

-20°C 1 month

## **SOLVENT & SOLUBILITY**

In Vitro

DMSO: 100 mg/mL (570.84 mM; Need ultrasonic)

Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg	
	1 mM	5.7084 mL	28.5421 mL	57.0841 mL	
	5 mM	1.1417 mL	5.7084 mL	11.4168 mL	
	10 mM	0.5708 mL	2.8542 mL	5.7084 mL	

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- 1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.5 mg/mL (14.27 mM); Clear solution
- 2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE- $\beta$ -CD in saline) Solubility:  $\geq$  2.5 mg/mL (14.27 mM); Clear solution
- 3. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (14.27 mM); Clear solution

## **BIOLOGICAL ACTIVITY**

Description

Methyl indole-3-carboxylate is a natural product isolated from Sorangium cellulosum strain Soce895. Methyl indole-3-carboxylate shows a weak activity against the Gram-positive Nocardia sp with a MIC value of 33.33  $\mu$ g/mL<sup>[1]</sup>.

## **REFERENCES**

1]. Rolf Jansen, et al. Nannozi	nones and sorazinones, unpre	cedented pyrazinones from m	yxobacteria. J Nat Prod. 2014 Nov 2	6;77(11):2545-52.	
			nedical applications. For research		
	Tel: 609-228-6898 Address: 1 [	Fax: 609-228-5909 Deer Park Dr, Suite Q, Monm	E-mail: tech@MedChemE nouth Junction, NJ 08852, USA	xpress.com	

Page 2 of 2 www.MedChemExpress.com