


Puromycin-d₃ dihydrochloride

Cat. No.:	HY-B1743AS
Molecular Formula:	C ₂₂ H ₂₈ D ₃ Cl ₂ N ₇ O ₅
Molecular Weight:	547.45
Target:	Bacterial; Antibiotic; Isotope-Labeled Compounds
Pathway:	Anti-infection; Others
Storage:	-20°C, protect from light, stored under nitrogen * In solvent : -80°C, 6 months; -20°C, 1 month (protect from light, stored under nitrogen)



SOLVENT & SOLUBILITY

In Vitro

Methanol : 250 mg/mL (456.66 mM; Need ultrasonic)
DMSO : 50 mg/mL (91.33 mM; Need ultrasonic)
Ethanol : 5 mg/mL (9.13 mM; ultrasonic and warming and heat to 60°C)

Preparing Stock Solutions	Solvent Concentration	Mass	1 mg	5 mg	10 mg
	1 mM		1.8267 mL	9.1333 mL	18.2665 mL
	5 mM		0.3653 mL	1.8267 mL	3.6533 mL
	10 mM		0.1827 mL	0.9133 mL	1.8267 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description	Puromycin-d ₃ (dihydrochloride) is the deuterium labeled Puromycin dihydrochloride. Puromycin dihydrochloride (CL13900 dihydrochloride), an aminonucleoside antibiotic, inhibits protein synthesis[1].
IC₅₀ & Target	Aminoglycoside
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019;53(2):211-216.

[2]. Nathans D, et al. Puromycin inhibition of protein synthesis: incorporation of puromycin into peptide chains. Proc Natl Acad Sci U S A. 1964 Apr;51:585-92.

[3]. Miyamoto-Sato E, et al. Specific bonding of puromycin to full-length protein at the C-terminus. Nucleic Acids Res. 2000 Mar 1;28(5):1176-82.

[4]. Schmidt EK, et al. SUnSET, a nonradioactive method to monitor protein synthesis. Nat Methods. 2009 Apr;6(4):275-7.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA