Proteins

Product Data Sheet

Tolnaftate

Cat. No.: HY-B0370 CAS No.: 2398-96-1 Molecular Formula: $C_{19}H_{17}NOS$ Molecular Weight: 307.41 Target: Fungal

Pathway: Anti-infection

Storage: Powder -20°C 3 years

> $4^{\circ}C$ 2 years

In solvent -80°C 2 years

> -20°C 1 year

י 1 、C	, V	
Š		

SOLVENT & SOLUBILITY

In Vitro DMSO: 50 mg/mL (162.65 mM; Need ultrasonic)

H₂O: < 0.1 mg/mL (insoluble)

Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg
	1 mM	3.2530 mL	16.2649 mL	32.5298 mL
	5 mM	0.6506 mL	3.2530 mL	6.5060 mL
	10 mM	0.3253 mL	1.6265 mL	3.2530 mL

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- 1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 3.25 mg/mL (10.57 mM); Clear solution
- 2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 3.25 mg/mL (10.57 mM); Clear solution
- 3. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 3.25 mg/mL (10.57 mM); Clear solution

BIOLOGICAL ACTIVITY

Description	Tolnaftate (NP-27) is a synthetic thiocarbamate used as an anti-fungal agent
IC ₅₀ & Target	Antifungal $^{[1]}$.
In Vitro	Tolnaftate (NP-27) blocked sterol biosynthesis in fungal cells and cell extracts, with accumulation of squalene. This point of action was confirmed by the direct inhibition of microsomal squalene epoxidase from Candida albicans ^[1] . Tolnaftate (NP-

27) inhibited sterol biosynthesis, At 100 microM, tolnaftate caused up to a 30% release of intracellular [14C] aminoisobutyric acid^[2].

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

CUSTOMER VALIDATION

• J Chromatogr B. 2023 Jun 20, 123804.

See more customer validations on www.MedChemExpress.com

REFERENCES

[1]. Ryder, N.S., I. Frank, and M.C. Dupont, Ergosterol biosynthesis inhibition by the thiocarbamate antifungal agents tolnaftate and tolciclate. Antimicrob Agents Chemother, 1986. 29(5): p. 858-60.

[2]. Georgopapadakou, N.H. and A. Bertasso, Effects of squalene epoxidase inhibitors on Candida albicans. Antimicrob Agents Chemother, 1992. 36(8): p. 1779-81.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA