Product Data Sheet

10-Methoxycamptothecin

Cat. No.: HY-N0446 CAS No.: 19685-10-0 Molecular Formula: $C_{21}H_{18}N_{2}O_{5}$ Molecular Weight: 378.38

Target: ADC Cytotoxin

Pathway: Antibody-drug Conjugate/ADC Related

4°C, protect from light Storage:

* In solvent: -80°C, 6 months; -20°C, 1 month (protect from light)

SOLVENT & SOLUBILITY

In Vitro

DMSO: 8.33 mg/mL (22.01 mM; Need ultrasonic)

Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg
	1 mM	2.6428 mL	13.2142 mL	26.4285 mL
	5 mM	0.5286 mL	2.6428 mL	5.2857 mL
	10 mM	0.2643 mL	1.3214 mL	2.6428 mL

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- 1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: 0.83 mg/mL (2.19 mM); Suspended solution; Need ultrasonic
- 2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 0.83 mg/mL (2.19 mM); Clear solution
- 3. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 0.83 mg/mL (2.19 mM); Clear solution

BIOLOGICAL ACTIVITY

Description

10-Methoxycamptothecin is a natural bioactive derivative of camptothecin (CPT) isolated from Camptotheca acuminata, and has been confirmed to possess high anti-cancer properties. 10-Methoxycamptothecin has higher cytotoxicity than 10hydroxycamptothecin by testing antitumor activity against 2774 cell lines^[1].

REFERENCES

[1]. Zheng J, et al. Development and validation of a RP-HPLC method with fluorescence detection for simultaneous determination of 10-methoxycamptothecin and its

netabolite 10-hydroxycamptothecin in rat plasma. J Chromatogr B Analyt Technol Biomed Life Sci. 2012 Aug 15;903:81-7.							
			ical applications. For research use c				
	Tel: 609-228-6898 Address: 1 De	Fax: 609-228-5909 er Park Dr, Suite Q, Monmou	E-mail: tech@MedChemExpress.oth Junction, NJ 08852, USA	com			

Page 2 of 2 www.MedChemExpress.com