

Product Data Sheet

Bornyl acetate

Cat. No.:HY-N0756CAS No.:76-49-3Molecular Formula: $C_{12}H_{20}O_2$ Molecular Weight:196.29Target:ApoptosisPathway:Apoptosis

Storage: Pure form -20°C 3 years

4°C 2 years

In solvent -80°C 6 months

-20°C 1 month

Relative Stereochemistry

SOLVENT & SOLUBILITY

In Vitro

DMSO: \geq 83.33 mg/mL (424.52 mM)

* "≥" means soluble, but saturation unknown.

| Preparing Stock Solutions | Solvent Mass Concentration | 1 mg | 5 mg | 10 mg |
|------------------------------|-------------------------------|-----------|------------|------------|
| | 1 mM | 5.0945 mL | 25.4725 mL | 50.9450 mL |
| | 5 mM | 1.0189 mL | 5.0945 mL | 10.1890 mL |
| | 10 mM | 0.5095 mL | 2.5473 mL | 5.0945 mL |

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

Bornyl acetate is a potent odorant, exhibiting one of the highest flavor dilution factor (FD factor). Bornyl acetate possesses anti-cancer activity $^{[1][2]}$.

In Vitro

Bornyl acetate is characterized as one of the most important odorants of fresh ginger juice, as it exhibits one of the highest FD factors. Bornyl acetate is also identified as playing very important sensory roles in the aroma of fresh Japanese ginger^[1]. Bornyl acetate (0-96 μ M) induces dose-dependent growth inhibitory efects on human gastric cancer cells in vitro^[2]. Combined effect of Bornyl acetate (48 μ M) and 5-FU on SGC-7901 human gastric cancer cell death via apoptosis^[2]. MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Pang X, et al. Identification of Ginger (Zingiber officinale Roscoe) Volatiles and Localization of Aroma-Active Constituents by GC-Olfactometry. J Agric Food Chem. 2017 May 24;65(20):4140-4145.

| 2]. Juan Li, et al. Synergistic e Inderlying mechanism of acti | | | ıyl acetate in SGC-7901 human gastric ca | ncer cells and the determination of the |
|---|------------------------|--------------------------------|--|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | Caution: Product has r | not been fully validated for m | edical applications. For research us | e only. |
| | Tel: 609-228-6898 | Fax: 609-228-5909 | E-mail: tech@MedChemExpres | |
| | Address: | 1 Deer Park Dr, Suite Q, Monm | outh Junction, NJ 08852, USA | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

Page 2 of 2 www.MedChemExpress.com