Inhibitors

Product Data Sheet

L-Tyrosine-d₂-2

 $\begin{array}{lll} \textbf{Cat. No.:} & \textbf{HY-N0473S13} \\ \textbf{CAS No.:} & 57746-15-3 \\ \textbf{Molecular Formula:} & \textbf{C}_{9}\textbf{H}_{9}\textbf{D}_{2}\textbf{NO}_{3} \\ \end{array}$

Molecular Weight: 183.2

Target: Endogenous Metabolite; Isotope-Labeled Compounds

Pathway: Metabolic Enzyme/Protease; Others

Storage: Please store the product under the recommended conditions in the Certificate of

Analysis.

BIOLOGICAL ACTIVITY

Description	L -Tyrosine- d_2 -2 is the deuterium labeled L -Tyrosine. L -Tyrosine is a non-essential amino acid which can inhibit citrate synthase activity in the posterior cortex.
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs ^[1] . MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Ferreira GK, et al. Effect of L-tyrosine in vitro and in vivo on energy metabolism parameters in brain and liver of young rats. Neurotox Res. 2013 May;23(4):327-35.

[2]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019;53(2):211-216.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA