


Oroxylin A

Cat. No.:	HY-N0560	
CAS No.:	480-11-5	
Molecular Formula:	C ₁₆ H ₁₂ O ₅	
Molecular Weight:	284.26	
Target:	HIF/HIF Prolyl-Hydroxylase; Autophagy; Virus Protease	
Pathway:	Metabolic Enzyme/Protease; Autophagy; Anti-infection	
Storage:	Powder	-20°C 3 years 4°C 2 years
	In solvent	-80°C 2 years -20°C 1 year



SOLVENT & SOLUBILITY

In Vitro

DMSO : ≥ 32 mg/mL (112.57 mM)
 * "≥" means soluble, but saturation unknown.

Preparing Stock Solutions	Solvent	Mass	1 mg	5 mg	10 mg
	Concentration				
	1 mM		3.5179 mL	17.5895 mL	35.1791 mL
	5 mM		0.7036 mL	3.5179 mL	7.0358 mL
	10 mM		0.3518 mL	1.7590 mL	3.5179 mL

Please refer to the solubility information to select the appropriate solvent.

BIOLOGICAL ACTIVITY

Description

Oroxylin A is an active flavonoid compound with strong anti-cancer effects. Oroxylin A inhibits the IL-6/STAT3 pathway and NF-κB signaling, inhibits cell proliferation and induces apoptosis. Oroxylin A inhibits colitis-related carcinogenesis^{[1][2][3][4][5]}.

In Vitro

Oroxylin A (20 μM; 24 h) inhibits the growth, proliferation, and migration of MDA-MB-231 cells. Oroxylin A also inhibits the invasion of MDA-MB-231 and inhibits its epithelial-to-mesenchymal transition (EMT) process^[4].
 Oroxylin A (20 μM; 24 h) also inhibits the expression of pro-inflammatory cytokines and inhibits the NF-κB signaling pathway^[4].
 The anti-inflammatory effect of Oroxylin A is abolished by TNF-α^[4].
 MCE has not independently confirmed the accuracy of these methods. They are for reference only.

CUSTOMER VALIDATION

- Acta Pharm Sin B. 2021 Jan;11(1):143-155.
- Ecotoxicol Environ Saf. 2024 May;276:116327.
- Int Immunopharmacol. 2024 Feb 15;129:111636.
- Front Pharmacol. 2022 Aug 23;13:935937.
- Cancers. 2019 Mar 12;11(3):353.

See more customer validations on www.MedChemExpress.com

REFERENCES

- [1]. Zhao K, et al. Oroxylin A promotes PTEN-mediated negative regulation of MDM2 transcription via SIRT3-mediated deacetylation to stabilize p53 and inhibit glycolysis in wt-p53 cancer cells. J Hematol Oncol. 2015 Apr 23;8:41. <http://www.ncbi.nlm.nih.gov/pubmed/25902914>
- [2]. Dai Q, et al. Oroxylin A regulates glucose metabolism in response to hypoxic stress with the involvement of Hypoxia-inducible factor-1 in human hepatoma HepG2 cells. Mol Carcinog. 2015 Aug 10.
- [3]. Wei L, et al. Oroxylin A inhibits glycolysis-dependent proliferation of human breast cancer via promoting SIRT3-mediated SOD2 transcription and HIF1 α destabilization. Cell Death Dis. 2015 Apr 9
- [4]. Sun X, et al. Oroxylin A Suppresses the Cell Proliferation, Migration, and EMT via NF- κ B Signaling Pathway in Human Breast Cancer Cells. Biomed Res Int. 2019 Jun 23;2019:9241769.
- [5]. Yang X, et al. Oroxylin A inhibits colitis-associated carcinogenesis through modulating the IL-6/STAT3 signaling pathway. Inflamm Bowel Dis. 2013 Aug;19(9):1990-2000.
-

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898

Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA