# Pseudolaric Acid A

Cat. No.: HY-N0673 CAS No.: 82508-32-5 Molecular Formula:  $C_{22}H_{28}O_6$ Molecular Weight: 388.45 Target: Fungal

Pathway: Anti-infection

Storage: Powder -20°C 3 years

2 years

In solvent -80°C 6 months

> -20°C 1 month

**Product** Data Sheet

### **SOLVENT & SOLUBILITY**

In Vitro

DMSO: 100 mg/mL (257.43 mM; Need ultrasonic)

Preparing Stock Solutions	Solvent Mass Concentration	1 mg	5 mg	10 mg
	1 mM	2.5743 mL	12.8717 mL	25.7433 mL
	5 mM	0.5149 mL	2.5743 mL	5.1487 mL
	10 mM	0.2574 mL	1.2872 mL	2.5743 mL

Please refer to the solubility information to select the appropriate solvent.

In Vivo

- 1. Add each solvent one by one: 10% DMSO >> 40% PEG300 >> 5% Tween-80 >> 45% saline Solubility: ≥ 2.5 mg/mL (6.44 mM); Clear solution
- 2. Add each solvent one by one: 10% DMSO >> 90% (20% SBE-β-CD in saline) Solubility: ≥ 2.5 mg/mL (6.44 mM); Clear solution
- 3. Add each solvent one by one: 10% DMSO >> 90% corn oil Solubility: ≥ 2.5 mg/mL (6.44 mM); Clear solution


## **BIOLOGICAL ACTIVITY**

Description

Pseudolaric Acid A is a diterpene acid isolated from Pseudolarix kaempferi, has antifungal, cytotoxic and antifertile activities [1][2][3]

#### **REFERENCES**

[1]. Zhang J, et al., Antifungal activity of compounds extracted from Cortex Pseudolaricis against Colletotrichum gloeosporioides. J Agric Food Chem. 2014 May



Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909

E-mail: tech@MedChemExpress.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Page 2 of 2 www.MedChemExpress.com