Tricin-d₆

Cat. No.:	HY-N1127S	
Molecular Formula:	C ₁₇ H ₈ D ₆ O ₇	D _D
Molecular Weight:	336.33	0 D
Target:	CMV	ОН
Pathway:	Anti-infection	
Storage:	Please store the product under the recommended conditions in the Certificate of Analysis.	OH O

BIOLOGICAL ACTIVITY		
In Vitro	Stable heavy isotopes of hydrogen, carbon, and other elements have been incorporated into drug molecules, largely as tracers for quantitation during the drug development process. Deuteration has gained attention because of its potential to affect the pharmacokinetic and metabolic profiles of drugs ^[1] .	

MCE has not independently confirmed the accuracy of these methods. They are for reference only.

REFERENCES

[1]. Russak EM, et al. Impact of Deuterium Substitution on the Pharmacokinetics of Pharmaceuticals. Ann Pharmacother. 2019 Feb;53(2):211-216.

[2]. Itoh A, et al. Tricin inhibits the CCL5 induction required for efficient growth of human cytomegalovirus. Microbiol Immunol. 2018 May;62(5):341-347.

[3]. Sadanari H, et al. The anti-human cytomegalovirus drug tricin inhibits cyclin-dependent kinase 9. FEBS Open Bio. 2018 Feb 208(4):646-654.

[4]. Chung DJ, et al. Inhibition of the Proliferation and Invasion of C6 Glioma Cells by Tricin via the Upregulation of Focal-Adhesion-Kinase-Targeting MicroRNA-7. J Agric Food Chem. 2018 Jul 566(26):6708-6716.

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 609-228-6898 Fax: 609-228-5909 E-mail: tech@MedChemExpress.com Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Inhibitors

•

Product Data Sheet

